U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCI
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMS control number

POWER OF ATTORNEY TO PROSECUTE APPLICATIONS BEFORE THE USPTO						
	revoke all p	revious powers of attorney	given in the app	lication Identified	in the attached st	atement under
	appoint:					
X Practitioners associated with the Customer Number:			26111			
OR Practitioner(s) named below (if more then ten patent practitioners are to be named, then a customer number must be used):						
	Nama		Registration Number			Registration Number
E						
E						
as utilimery(s) or specific) for represent the underrigned before the United States Petent and Trademack Office (USPTO) in connection with any and all petent applications assigned only to the underrigned according to the USPTO assignment records or assignment documents attached to this form in accordance with XTPER 3780.						
Please change the correspondence address for the application identified in the attached statement under 37 CFR 3.73(b) to:						
OR .	The address as	sociated with Gustomer Number:	2	6111		
Fin	m or Ividual Name	Sterne, Kessler, Goldstei	n & Fox P.L.I	C.		
Address			State		I Zip	
Country	•		State			
Telephor				Email		
Tolopilo						
ASML He De Run 6 NL-5504 The Nethe	DR Veldhove erlands	on.				
filed in e	ach applicat	ogether with a statement und on in which this form is used binted in this form if the appo application in which this Por	i. The statemen Inted practition ver of Attorney	t under 37 CFR 3. er is authorized to s to be filed.	73(b) may be comp	eted by one of I
SIGNATURE of Assignee of Record The individual whose signature and title is supplied below is authorized to act on behalf of the assignee						
Signeture	- 3		/////		Date 16 Apri	1 2007
Name	Antonius.	Joseph Marie van Hoef, E	sq. ////	7	Telephone	

Title Vice President and Chief Intellectual Property Course!

This collection of Intermises in required by 26 FER (3.1), 22 and 3.3. The illumination is required by 26 FER (3.1), 22 and 3.3. The illumination is required by 26 FER (3.1), 22 and 3.3. The illumination is required by 26 FER (3.1), 22 and 3.5. The illumination is required to 26 and 3.5. The intermise is required to 3.5. The intermise is requir

40 miles and 40 miles and 40 miles